

Certified Pharmacy Technician Certification

Section: Pharmacy Technician Certification Exams • Total Questions: 10 • Format: Verified Q&A

1. According to federal regulations, a pharmacy that discovers the theft of a controlled substance must notify:

- (A) local law enforcement
 - (B) the State Board of Pharmacy
 - (C) the Food and Drug Administration
 - (D) the Drug Enforcement Administration
-

2. Which of the following medications should be dispensed and stored in the manufacturer's original container?

- (A) Duloxetine delayed-release capsules
 - (B) Calcium carbonate chewable tablets
 - (C) Nitroglycerin sublingual tablets
 - (D) Hyoscyamine oral disintegrating tablets
-

3. According to federal law, a valid prescription for eszopiclone must include the:

- (A) Patient's address
 - (B) Pharmacy's DEA number
 - (C) Patient's insurance information
 - (D) Prescriber's phone number
-

4. Efavirenz is considered a high-alert medication in a community pharmacy setting because it is an:

- (A) anticoagulant
 - (B) opioid
 - (C) insulin
 - (D) antiretroviral
-

5. Which of the following patient monitoring functions detects a patient on two medications in the same therapeutic classification?

- (A) Drug-allergy interaction
 - (B) Medication reconciliation
 - (C) Drug-lab test interaction
 - (D) IV compatibility
-

6. What do the last two digits of a National Drug Code (NDC) number identify?

- (A) Specific drug product
 - (B) Trade package size
 - (C) Labeler or manufacturer
 - (D) Drug schedule
-

7. Which of the following is a non-profit organization that focuses on educating healthcare providers and consumers with the goal of preventing medication errors?

- (A) FDA
 - (B) ISMP
 - (C) DEA
 - (D) CDC
-

8. Which of the following references contains information about the proper protection required for handling specific agents contained in the pharmacy?

- (A) Safety Data Sheets (SDS)
 - (B) Orange Book
 - (C) Lexicomp
 - (D) American Drug Index (ADI)
-

9. Prior to dispensing, it would be most appropriate to store Humira:

- (A) in a freezer, at -20°C to -10°C (-4°F to 14°F)
 - (B) in a refrigerator, at 2°C to 8°C (36°F to 46°F)
 - (C) cool, at 8°C to 15°C (46°F to 59°F)
 - (D) at room temperature, at 15°C to 30°C (59°F to 86°F)
-

10. Which of the following is an autoimmune disorder that causes muscle weakness, numbness or tingling, and loss of coordination?

- (A)** Reyes syndrome
- (B)** Polyneuropathy
- (C)** Multiple sclerosis
- (D)** Alzheimers disease