

Pharmacy Technician Certification Exam Review

Section: Pharmacy Technician Certification Exams • Total Questions: 10 • Format: Verified Q&A

1. Which of the following medications is indicated to treat hyperkalemia?

- (A) Levoxyl
 - (B) Loperamide
 - (C) Levetiracetam
 - (D) Lokelma
-

2. Lovastatin is used to lower:

- (A) cholesterol.
 - (B) blood pressure.
 - (C) blood glucose.
 - (D) acid reflux.
-

3. A patient fills a prescription for a 30-day supply of amlodipine 10 mg. Two days later, the patient brings in a prescription for diltiazem 30 mg from their primary care provider. Which of the following rejection messages is the pharmacy technician most likely to receive?

- (A) Prior authorization required
 - (B) Therapeutic duplication
 - (C) NDC not covered
 - (D) Refill too soon
-

4. Which of the following products is most likely to be rejected by a reverse distributor?

- (A) An expired investigational medication
 - (B) An unopened, expired stock bottle in the original manufacturer packaging
 - (C) An expired topical product
 - (D) A refrigerated medication that has already passed its printed expiration date
-

5. The therapeutic equivalence designation AB indicates that:""

- (A) bioequivalence problems have been identified.
 - (B) drug products meet bioequivalence requirements.
 - (C) there is insufficient data to confirm bioequivalence.
 - (D) new information has raised questions about bioequivalence.
-

6. The initial dosage of a drug is 5 mg/kg of body weight. If a patient weighs 185 lb, what is the total initial dose, in mg?

- (A) 81.4
 - (B) 185
 - (C) 420
 - (D) 925
-

7. A patient taking which of the following medications concurrently would be at risk of developing hyperkalemia?

- (A) Furosemide and amlodipine
 - (B) Amlodipine and spironolactone
 - (C) Potassium and furosemide
 - (D) Spironolactone and potassium
-

8. According to the Drug Supply Chain Security Act (DSCSA), a medication serial number should have no more than how many characters?

- (A) 5
 - (B) 10
 - (C) 20
 - (D) 50
-

9. The pharmacy has received a communication from a pharmaceutical company informing the pharmacy technician that it is recalling bottles of acetaminophen 325 mg tablets because they were filled with penicillin 250 mg tablets in error. Which category of recall best fits this situation?

- (A) Class I
 - (B) Class II
 - (C) Class III
 - (D) Class IV
-

10. Because it may negatively impact fetal development, pregnant pharmacy staff members should avoid contact with crushed or broken tablets of:

- (A)** furosemide.
- (B)** finasteride.
- (C)** fluoxetine
- (D)** famotidine